
INTERMEDIATE ALGEBRA NAME: Antoinette 4.1/4.2 SYSTEMS OF LINEAR EQUATIONS IN TWO VARIABLES I **GPS #14 Useful Guidelines:** * Solving a System by Elimination Step 1: Write both equations in standard form Ax + By = C. Step 2: Make the coefficients of one pair of variable terms opposites. Step 3: Add the new equations to eliminate a variable. Then solve for the remaining variable. # When two lines intersect in a single point, the coordinates of this point give the only solution of the system. Then the system is consistent, and the equations are independent. # When the lines are parallel to each other, the system is inconsistent and the solution set is an empty set. # When the lines are overlapped on each other. The equations are dependent. The solution set is an infinite Set of ordered pairs representing the points on the line. 1. Solve each system by elimination. Is the system consistent, inconsistent or has dependent equations? a) $3x + 2y = 13 \implies 3x + 2y = 13$ ① (4x-y=-1) $\Rightarrow 8x-2y=-2$ one unique solution (+2) 11x = 11 System 10 consistent (x = 1) 3ab. x=1 +(1) ろし)+21=13 2. Solve each system by elimination. Is the system consistent, inconsistent or has dependent b) $(2A - B = 3)^3 = -6A + 3b = -99$ 6A - 3B = 9 = 6A - 3b = 99Solset Z(A,B) | CA-3D=97 Capualtons are dependent. Infinitely many Solutions: -2x-6y=3 = 7-2x-6y=3Not true Sd ? 3 No Solution System is inconsistent System is consistent.

- 3. Suppose a certain brand of laptop has supply and demand functions given by p = 25q + 50 and p = 2800 30q, respectively.
- a) If the price p is \$350, how many units q are supplied and how many are demanded.
- b) What price gives market equilibrium, and how many units are demanded and supplied at this price?



INTERMEDIATE ALGEBRA 4.1/4.2 SYSTEMS OF LINEAR EQUATIONS IN TWO VARIABLES II NAME: HO HOINEAFE **Useful Guidelines and Definitions:** * Solving a System by Substitution 1: Solve one of the equations for one of the variables. 2: Substitute for that variable in the other equation. 3: Solve the equation for that variable and substitute the result into the equation from step 1. # When two lines intersect in a single point, the coordinates of this point give the only solution of the system. Then the system is consistent, and the equations are independent. # When the lines are <u>parallel</u> to each other, the system is <u>inconsistent</u> and the <u>solution</u> set is an empty set. # When the lines are overlapped on each other. The equations are dependent. The solution set is an infinite Set of ordered pairs representing the points on the line. 1. Solve each system by substitution. Is the system consistent, inconsistent or has dependent Substitution 2x+3y=1 => 2x+3y=1 equations? 2x + 3y = 1a) Y-2x=0 =74=2x Sol ?(x,y) (Rt, 4) Sub @ insto D Set: (x,y) (Rt, 4) Sub @ insto D 2x+3(2x)=1 2x+6x=1 x=1 8x=1 x=6 b) x+2y=1 $\supseteq X = 1-2y$ $\supseteq x+4y=8$ $\supseteq x+4y$ Sol seti? } 2(1-24)+44=8 system is in consistent 2-44+44=8 278 NO SO(2. Suppose you have \$500,000 to invest, part at 15% and the remainder in a less risky investment at 6%. If your investment goal is to have an annual income of \$42,000, how much should you put in each investment? [Let x be the amount invested at 15% and y be the amount invested at 6%.] \$500,000 (5.6) (42,000) 366,666.67 (x= 133,737,33 x+y = 500,000 Substitution $\Rightarrow x = 500,000 - y$ (2) 0.15 (500,000-y) + 0.04y= 42,000 g 75,000 -0.15y+0.06y= 42,000 0.15x + 0.06y = 42,000@


INTERMEDIATE ALGEBRA

NAME: Antoinette Durclen 4.3 SYSTEMS OF LINEAR INEQUALITIES


Useful Guidelines:

To graph a Linear Inequality:

- 1. Graph the line (make the line solid if the inequalities involves \leq or \geq , or make the line dash if inequalities involves < or >).
- 2. Pick a point not on the line as a test point and substitute the coordinates in the inequality.
- 3. Shade the side of the line that includes the test point if the test point satisfies the original inequality; otherwise, shade the region on the other side of the boundary line.
- 1. Graph each linear inequality in two variables. Label all the points.





(03)




Graph each compound inequality. Label all the points.

Let
$$\frac{(3) \ 3x-2y \le 5}{(3x-2y-5)}$$
 and $y>1$







- 3. Graph each compound inequality. Label all the points.
- a) $x+y \le 5$ or $y \ge 4$

Let x+4=5 U Let 4=4

